


Fab Hush Wall System

BY AKUSTUS DESIGNS



[AKUSTUS.COM](https://akustus.com)

[INFO@AKUSTUS.COM](mailto:info@akustus.com)




The **Fab Hush Wall System** combines the stunning visuals of textile printing with the acoustic benefits of polyester felt panels. Our proprietary design offers acoustic absorption ratings higher than the sum of the system's parts. Any image or design can be printed on to the acoustic fabric in vibrant and vivid colours. With a silicone edge guiding the fabric into the frame, the prints are not only easy to install but also easy to change. For retail, hospitality or public spaces, the Fab Hush Wall System provides an effective and efficient way to display visuals and reduce noise.





Dimensions

Available Depth: 27 mm (1.06 in)
* Custom dimensions available with maximum height of 3048 mm (120 in).



Product Data


Product Code	Width x Height	Depth
FHS-WS-120-090	1200 x 900 mm 47.24 x 35.43 in	27 mm 1.06 in
FHS-WS-180-120	1800 x 1200 mm 70.87 x 47.24 in	27 mm 1.06 in
FHS-WS-240-180	2400 x 1800 mm 94.49 x 70.87 in	27 mm 1.06 in
FHS-WS-300-240	3000 x 2400 mm 118.11 x 94.49 in	27 mm 1.06 in
FHS-WS-450-300	4500 x 3000 mm 177.17 x 118.11 in	27 mm 1.06 in

Specifications


Product Name	Fab Hush Wall System
Composition	<div>Frame</div> <ul style="list-style-type: none">Anodized aluminum frameColour: clear anodized, black, white <div>Fabric</div> <ul style="list-style-type: none">Polyester fabric with silicone edge <div>Core</div> <ul style="list-style-type: none">Polyester felt panel
Fire Rating	<div>Core</div> <ul style="list-style-type: none">ASTM E84 Class ACAN/ULC-S102.2-10
VOC Emissions	<div>Core</div> <ul style="list-style-type: none">CDPH (CA 01350)
Sustainability	<div>Frame</div> <ul style="list-style-type: none">100% recyclableLong service life <div>Core</div> <ul style="list-style-type: none">100% recyclableLBC Red List freeContributes to LEED certificationFree of toxic substances and of off-gassingMade with ~50% recycled content from plastic water bottles
How to Specify	<ul style="list-style-type: none">Product Name & CodeDimensionsPrintFrame Colour

Acoustic Properties

The following values reflect the acoustic properties of the product as tested in accordance with ASTM C423-09a using Type A mounting. Update for test results pending.



Installation



Frame Mounts (FRME-WS-00)

- Height of frame-suspending hook adjustable

Product Care

Warranty

AKUSTUS warrants the construction and finish of all our products to be free from defects in material and workmanship for a period of 1 year from the date of purchase.

