Ceiling Tile

INSTALLATION OVERVIEW

CEILING TILE INSTALLATION OVERVIEW

INTRODUCTION

This installation document provides an overview of methods and general instructions meant to aid the installer in applying AKUSTUS products. Installers must rely on their professional experience and their assessment of the project environment to ensure a successful installation.

Upon delivery, examine the products for any damage that may have been caused in transit. If there are any issues, please contact your local distributor immediately. Claims will not be accepted after installation has begun.

HANDLING & STORAGE


Handle products to avoid folding the product, chipping the edges of the product or indenting the faces of the product. Store products in original containers in a well-ventilated area until the intended application environment is ready for installation. Allow products to acclimatize to environmental conditions. Lay products flat on their faces; do not stand products on their edges. Protect from moisture, heat, direct sunlight and the elements.

CLEANING


Lightly brush or gently vacuum to remove dust. Clean with warm water and mild, non-toxic soap to remove spills. Test solution on an inconspicuous spot before applying to more visible areas. Blot with a dry cloth after applications of the solution to avoid saturating the material. Avoid applying too much pressure when cleaning the products.

INSTALLATION VARIATIONS


Note: Not all installation methods are applicable to all products; please refer to product sheets and feel free to contact us for product-specific details.



Flat ceiling tile



Box ceiling tile with extended edge



Box ceiling tile with magnets

FLAT CEILING TILE

STEP 1

If necessary, remove any ceiling tiles previously installed in the ceiling grid system.

STEP 2

Place the AKUSTUS ceiling tile into the ceiling grid system.

BOX CEILING TILE WITH EXTENDED EDGE

STEP 1

If necessary, remove any ceiling tiles previously installed in the ceiling grid system.

STEP 2

Place the AKUSTUS ceiling tile into the ceiling grid system.

• The extended edge of the box should sit on the ledge of the tee.

BOX CEILING TILE WITH MAGNETS

STEP 1

Place the AKUSTUS ceiling tile directly onto the underside of the ceiling grid system.

- Align the edges of the box with the middle of the tees to ensure secure attachment of magnets.
- Keep in mind that two adjacent box tiles share the same tee when aligning the tile.